







PRD:00829577 A.1



TAG-A-LONG, 20 TON 2 AXLE, MAXIMUM PAYLOAD 40,000 LBS



FEATURES & BENEFITS



HIGH QUALITY STEEL



Constructed with T-1 100K PSI yield strength Steel. The High Tensile Steel ensures the designed camber is retained, and allows for a longer product service life.

TOOL BOX



Lockable tool box with anti theft provisions available.

COLOR OPTIONS




Globe Trailers can powder coat to the color of your choice.

WHEEL OPTIONS



All Globe trailers come with standard HUB piloted disc wheels. Wheels are also available in all Aluminum or Outer Aluminum.

DECKING OPTIONS



Oak: Standard.
Apitong: Best strength to weight ratios of natural woods.
Rumber: Composite which is impervious to fluids, mud, oil and UV rays.

LIGHTING SYSTEM



All Lighting is LED and mounted in rubber grommets to DOT standards.

AXLES



25,000 lbs capacity axles.

TIE DOWNS



D-rings on each side of the deck make it easier to secure loads to the trailer.

LANDING GEAR



2 speed Landing Gear, allows for 160,000 lbs static load.

SUSPENSION



Heavy duty tandem-axle spring ride suspension.

FEATURES & BENEFITS



BEAVER TAIL



The Beavertail is an angled extension on the rear frame. This makes rear loading more convenient.

HEAVY DUTY PINTLE EYE



3" Pintle eye, with 4 adjustable height positions, with 2 heavy duty safety chains and grab hooks.

COLOR CODED HOSES



Color coded air hoses allow for easy trouble shooting and maintenance.

RAMPS



Adjustable with spring assist and safety bar.

WARRANTY



Globe Trailer's 5 year structural warranty on all lowboys is the best in the industry. Most competitors offer only a 5 year warranty. This shows how committed Globe Trailers is to it's customers.

STEMCO WHEEL WARRANTY



5 year wheel end warranty. Guardian wheel seals, Pro-Torq spindle nuts and Sentinel hub caps.

POLYURETHANE VS RUBBER BUSHING



Reduced Maintenance	Increased Maintenance
Increased Trailer Lifetime	Needs Replacement
Increased Trailer Performance	Reduces Trailer Performance
Weather Resistant	Damaged from Weather




All Globe Trailers are 100% powder coat finished. The entire process takes place at Globe's manufacturing facility. This eliminates the possibility of contamination occurring in transit between process phases. The process starts with sandblasting the trailer to near white, preheating the trailer steel in a dedicated, gas fired oven to optimum bonding temperature and applying an electrostatically charged zinc rich primer. The trailer then goes back in the oven to allow the primer to bond. After the primer has bonded, a top coat chosen from one of Globe Trailers' 188 color options is applied before once more going back in the oven to cure. The result is a durable, easily cleaned finish that protects the trailer from corrosion and ensures a long service life.





TAG-A-LONG, 20 TON

20TA829577



Trailer Model: GTTU202-34-24 Weight: Apx. : ____ ± lbs

Overall Length	Overall Width	Deck Length	Deck Height	Beavertail Length	Drawbar Length
34′ 2″	8′ 6″	24' TA	34"	60"	62"

Frame				
Main Beam	14 x 6.75 @ 30#			
Main Beam Centers	39"			
Side Rails	8" Channel			
Crossmembers	4" Jr. I Beams			
Spacing	12"			
Bumper	10" Channel			
Header	8" Channel			
# of D-Rings	12 Ea Side			
Drawbar				
Tool Box	Lockable w/ Steel Grating			
Hitch Type	3" Pintle Hitch			
Safety Chains with Hooks				
Beavertail & Ramps				
Beavertail 60"				
Rear Ramps 24" x 60"				
Spring Assist, Cleated				
Electrical				
Lights	LED Plus 2 - Rear Strobes			
Connector	7 Way Connector			
Decking/Flooring				
Main Decking	1.75", Oak Full Width			
Beavertail Flooring	Steel Covered D-Plate w/Grousers			

Axles, Suspension, & Running Gear			
# of Axles	2		
Axle Spacing	49"		
Axle Capacity	25,000 lbs		
Brakes	12 ¼" x 7 ½" - 25K		
ABS	2S1M		
Axle 1	Fixed Type 30/30 ABS		
Axle 2	Fixed Type 30/30 Non-ABS		
Suspension	Spring Ride 25K		
Landing Gear	Dual 2-Speed 50K Drop Leg Jacks - 17"		
Tires & Rims			
Tires	215/75R x 17.5 "H"		
Rims	6.75 X 17.5 Hub Piloted Steel		
Finish			
Sandblast and Powder Coat			
Mud Flaps & Reflective Tape			
Flag Holders			

Dealer: